

Front view

741 (attica)

731 (aluminium panels)

Top edge finished floor

□ 350

Ø 740

Side view

741 (attica)

731 (aluminium panels)

770

84

230

278

15

25

430




70

□ 350



Ø 740

Top edge finished floor




Detailed description: This technical side view drawing illustrates the bicycle storage system's profile. It shows two vertical yellow frames, each holding five bicycles. A central vertical track with a yellow carriage is positioned between the frames. Dimensions are provided for the overall width (741 mm for the attic, 731 mm for the panels), total height (770 mm), and various offsets (84 mm, 230 mm, 278 mm, 15 mm, 25 mm, 430 mm, 70 mm). The base shows a square footprint of 350 mm and a circular base diameter of 740 mm. The 'Top edge finished floor' is indicated by a horizontal line.





■ WÖHR Bikesafe 885/16 (122 parking places), handlebar width 83 cm






Note: if possible, provide an access door in the shaft area.





■ WÖHR Bikesafe 885/20 (154 parking places), handlebar width 76 cm






Note: if possible, provide an access door in the shaft area.




■ WÖHR Bikesafe 885/20 (154 parking places), handlebar width 83 cm






Note: if possible, provide an access door in the shaft area.




■ WÖHR Bikesafe 885/24 (186 parking places), handlebar width 76 cm






Note: if possible, provide an access door in the shaft area.



WÖHR Bikesafe 885/24 (186 parking places), handlebar width 83 cm



Note: if possible, provide an access door in the shaft area.



Dimensions

- all dimensions are minimum, finished dimensions
- tolerances must be taken into consideration
- all dimensions are given in cm